



AIR SAW BLADE, SHANK FOR SIG, FLEX ETC

Airsaw blades Shank for SIG, Flex a.o. G-MAN air saw blades for use with pneumatic tools are available with two different shanks. All blades are bi-metal i.e. they have a high speed steel cutting edge welded to a spring steel back. Four different tooth pitches are available, the finer tooth pitches being used mainly for cutting sheet metal e.g. in bodywork. Select the coarser pitches for sawing softer materials such as aluminium and plastic

Artikelkod	TUM	L	H	T	PACK	tooth pitch	KG	EAN
2500-0914-010GM	96 mm	11 mm	0,6 mm	10x	1,8 mm / 14 t.p.i	0,041	7391639004655	
2500-0914-050GM	96 mm	11 mm	0,6 mm	50x	1,8 mm / 14 t.p.i	0,145	7391639004662	
2500-0918-010GM	96 mm	11 mm	0,6 mm	10x	1,4 mm / 18 t.p.i	0,041	7391639004679	
2500-0918-050GM	96 mm	11 mm	0,6 mm	50x	1,4 mm / 18 t.p.i	0,145	7391639004686	
2500-0924-010GM	96 mm	11 mm	0,6 mm	10x	1,0 mm / 24 t.p.i	0,041	7391639004693	
2500-0924-050GM	96 mm	11 mm	0,6 mm	50x	1,0 mm / 24 t.p.i	0,145	7391639004709	
2500-0932-010GM	96 mm	11 mm	0,6 mm	10x	0,8 mm / 32 t.p.i	0,041	7391639004716	
2500-0932-050GM	96 mm	11 mm	0,6 mm	50x	0,8 mm / 32 t.p.i	0,145	7391639004723	





AIR SAW BLADE, STANDARD SHANK

Airsaw blades Standard Shank. G-MAN air saw blades for use with pneumatic tools are available with two different shanks. All blades are bi-metal i.e. they have a high speed steel cutting edge welded to a spring steel back. Four different tooth pitches are available, the finer tooth pitches being used mainly for cutting sheet metal e.g. in bodywork. Select the coarser pitches for sawing softer materials such as aluminium and plastics.

Artikelkod	TUM	L	H	T	PACK		KG	EAN
2510-0914-010GM	97 mm	12 mm	0,6 mm	10x	1,8 mm / 14 t.p.i		0,041	7391639004730
2510-0914-050GM	97 mm	12 mm	0,6 mm	50x	1,8 mm / 14 t.p.i		0,145	7391639004747
2510-0918-010GM	97 mm	12 mm	0,6 mm	10x	1,4 mm / 18 t.p.i		0,041	7391639004754
2510-0918-050GM	97 mm	12 mm	0,6 mm	50x	1,4 mm / 18 t.p.i		0,145	7391639004761
2510-0924-010GM	97 mm	12 mm	0,6 mm	10x	1,0 mm / 24 t.p.i		0,041	7391639004778
2510-0924-050GM	97 mm	12 mm	0,6 mm	50x	1,0 mm / 24 t.p.i		0,145	7391639004785
2510-0932-010GM	97 mm	12 mm	0,6 mm	10x	0,8 mm / 32 t.p.i		0,041	7391639004792
2510-0932-050GM	97 mm	12 mm	0,6 mm	50x	0,8 mm / 32 t.p.i		0,145	7391639004808





AIR SAW BLADE, STANDARD SHANK WITH HOLE

Airsaw blades Standard Shank with hole. G-MAN air saw blades for use with pneumatic tools are available with two different shanks. All blades are bi-metal i.e. they have a high speed steel cutting edge welded to a spring steel back. Four different tooth pitches are available, the finer tooth pitches being used mainly for cutting sheet metal e.g. in bodywork. Select the coarser pitches for sawing softer materials such as aluminium and plastics.

Artikelkod	TUM	L	H	T	PACK		KG	EAN
2515-0914-010GM	97 mm	12 mm	0,6 mm	10x	1,8 mm / 14 t.p.i	0,041	7391639004815	
2515-0914-050GM	97 mm	12 mm	0,6 mm	50x	1,8 mm / 14 t.p.i	0,145	7391639004822	
2515-0918-010GM	97 mm	12 mm	0,6 mm	10x	1,4 mm / 18 t.p.i	0,041	7391639004839	
2515-0918-050GM	97 mm	12 mm	0,6 mm	50x	1,4 mm / 18 t.p.i	0,145	7391639004846	
2515-0924-010GM	97 mm	12 mm	0,6 mm	10x	1,0 mm / 24 t.p.i	0,041	7391639004853	
2515-0924-050GM	97 mm	12 mm	0,6 mm	50x	1,0 mm / 24 t.p.i	0,145	7391639004860	
2515-0932-010GM	97 mm	12 mm	0,6 mm	10x	0,8 mm / 32 t.p.i	0,041	7391639004877	
2515-0932-050GM	97 mm	12 mm	0,6 mm	50x	0,8 mm / 32 t.p.i	0,145	7391639004884	

