



COMPASS SAW

Compass saw for cutting holes, slots, etc. Plastic handle. Extra thick blade for increased stability. Universal tothing 7 teeth/inch. Hardpoint finish.









Artikelkod	TUM	L	H	T	PACK	Teeth	KG	EAN
150H12	12	300 mm			10x	7 t.p.i	0,13	7392746533038





PULL SAW

Double-toothed, with one cross-cut tothing with 15 teeth per inch and one progressive tothing for split sawing. Blade thickness 0,50 mm.

Artikelkod								
390		240 mm			10x	15 t.p.i.	0,23	7392746490027





PULL SAW

Cuts on pull stroke. Rubber grip for secure grip. Thickness of blade 0,6 mm. 16 teeth per 30 mm.

Artikelkod	TUM	L	H	T	PACK	Teeth	KG	EAN
265		265 mm			10x	16t/30mm	0,37	7392746000127





MULTI SAW, FOLDABLE

Universal, foldable saw with 1010-2024 for metal 24 teeth per inch. Blade thickness 0,9mm.

Artikelkod	TUM			PACK		KG	EAN
138-31				10x		0,16	7392746444617





MULTI SAW, FOLDABLE

Universal, foldable saw with pruning blade 1034-2006. Pruning and cutting in damp wood and trees. Blade thickness 1,5 mm.

Artikelkod	TUM	L	H	T	PACK	t.p.i	KG	EAN
138-34	8	200 mm			10x	6 t.p.i	0,13	7392746444631

